

REFERENCES

- Ang, D. D., and Vy, L. K. (1995). "Contact of a plate and an elastic body." *Zeitschrift für angewandte Mathematik und Mechanik*, 75(2), 115-126.
- Anonymous (1997). "Geotextile tubes are installed in Maryland to fight erosion." *Civil Engineering News*, May, 14.
- Anonymous (1998). "Tube dunes protect New Jersey beach." *Civil Engineering*, ASCE, 68(2), 22.
- Armstrong, J. L., and Kureth, C. L. (1979). "Some observations on the Longard tube as a coastal erosion protection structure." *Coastal Structures '79*, Vol. 1, ASCE, NY, 250-269.
- Ascione, L., and Bilotti, G. (1990). "The dynamical problem of an elastic plate resting on a two-parameter foundation which does not react in tension." *Meccanica*, 25, 92-98.
- Ascione, L., and Grimaldi, A. (1984). "Unilateral contact between a plate and an elastic foundation." *Meccanica*, 19, 223-233.
- Ascione, L., and Olivito, R. S. (1985). "Unbonded contact of a Mindlin plate on an elastic half-space." *Meccanica*, 20, 49-58.
- Auricchio, F., and Sacco, E. (1996). "Augmented Lagrangian finite-elements for plate contact problems." *International Journal for Numerical Methods in Engineering*, 39, 4141-4158.
- Bishop, D., Johannsen, K., and Kohlhasse, S. (1994). "Recent applications of modern geosynthetics for coastal, canal and river works." *Proceedings, 5th International Conference on Geotextiles, Geomembranes and Related Products*, G. P. Karunaratne, S. H. Chew, and K. S. Wong, eds., Vol. 2, Singapore, 545-548.
- Bishop, D., von Holwede, L., and Scheffer, H.-J. (1993). "Giant sandbags for emergency protection work." *Technical Textiles International*, 2(2), 15.
- Bogossian, F., Smith, R. T., Vertematti, J. C., and Yazbek, O. (1982). "Continuous retaining dikes by means of geotextiles." *Proceedings, 2nd International Conference on Geotextiles*, Vol. I, Las Vegas, 211-216.
- Breteler, M. K., and van Wijhe, H. J. (1994). "Stability of geotubes and geocontainers."

- Report, Delft Hydraulics H2029, August.*
- Carroll, R. P. (1994) "Submerged geotextile flexible forms using noncircular cylindrical shapes." *Geotechnical Fabrics Report*, Industrial Fabrics Association International, St. Paul, MN, 12(8), 4-15.
- Celep, Z. (1988a). "Circular plate on tensionless Winkler foundation." *Journal of Engineering Mechanics*, 114(10), 1723-1739.
- Celep, Z. (1988b). "Rectangular plates resting on tensionless elastic foundation." *Journal of Engineering Mechanics*, 114(12), 2083-2092.
- de Bruin, P., and Loos, C. (1995). "The use of geotubes as an essential part of an 8.8m high North Sea dike and embankment, Leybucht, Germany." *Geosynthetics World*, 5(3), 7-10.
- Delft Hydraulics Laboratory (1973). "Breakwater of concrete filled hoses." *Report, M1085*, April.
- Delft Hydraulics Laboratory (1975a). "Artificial islands in the Beaufort-sea: comparison of stability of shore protection with gabions and sand sausages." *Report, M1271 part III*, February.
- Delft Hydraulics Laboratory (1975b). "Artificial islands in the Beaufort-sea: stability of shore protection with sand sausages on a circular island." *Report, M1271 part V*, May.
- Dempsey, J. P., and Li, H. (1989). "A flexible rectangular plate on an elastic layer: large area contact." *Journal of Tribology*, 111, 518-524.
- den Adel, H., Hendrikse, C. S. H., and Pilarczyk, K. (1996). "Design and application of geotubes and geocontainers." *Proceedings, 1st European Conference on Geosynthetics*, Maastricht, The Netherlands, 925-931.
- Erchinger, H.F. (1993). "Geotextile tubes filled with sand for beach erosion control, North Sea Coast, Germany." *Geosynthetics Case Histories*, G. P. Raymond and J.-P. Giroud, eds., BiTech Publishers, Richmond, BC, Canada, 102-103.
- Fowler, J. (1997). "Geotextile tubes and flood control." *Geotechnical Fabrics Report*, Industrial Fabrics Association International, St. Paul, MN, 15(5), 28-37.
- Gadd, P. E. (1988). "Sand bag slope protection: design, construction, and performance." *Arctic Coastal Processes and Slope Protection Design*, A. T. Chen

- and C. B. Leidersdorf, eds., ASCE, NY, 145-165.
- Gladwell, G. M. L. (1975). "Unbonded contact between a circular plate and an elastic foundation." *The Mechanics of the Contact Between Deformable Bodies*, A. D. de Pater and J. J. Kalker, eds., Delft University Press, The Netherlands, 99-109.
- Gladwell, G. M. L., and Iyer, K. R. P. (1974). "Unbonded contact between a circular plate and an elastic half-space." *Journal of Elasticity*, 4(2), 115-130.
- Gutman, A. L. (1979). "Low-cost shoreline protection in Massachusetts." *Coastal Structures* '79, 1, ASCE, NY, 373-387.
- Haber, R. B., and Abel, J. F. (1982). "Initial equilibrium solution methods for cable reinforced membranes, part II - implementation." *Computer Methods in Applied Mechanics and Engineering*, 30, 285-306.
- Hetenyi, M. (1946). *Beams on Elastic Foundation*, University of Michigan Press, Ann Arbor, Michigan.
- Hibbitt, Karlsson, and Sorensen, Inc. (1994). ABAQUS, Pawtucket, RI.
- Ingold, T. S. (1994). *The Geotextiles and Geomembranes Manual*, Elsevier, Oxford.
- John, N. W. M. (1987). *Geotextiles*. Blackie & Son, Glasgow.
- Kazimierowicz, K. (1994). "Simple analysis of deformation of sand-sausages." *Proceedings, 5th International Conference on Geotextiles, Geomembranes and Related Products*, G. P. Karunaratne, S. H. Chew, and K. S. Wong, eds., Vol. 2, Singapore, 775-778.
- Khathlan, A. A. (1994). "Large-deformation analysis of plates on unilateral elastic foundation." *Journal of Engineering Mechanics*, 120(8), 1820-1827.
- Khathlan, A. A., and Waly, H. A. (1994). "Nonaxisymmetric unbonded contact of plates on tensionless Winkler foundations." *Mechanics of Structures and Machines*, 22(3), 263-281.
- Kobayashi, N., and Jacobs, B. K. (1985). "Experimental study on sandbag stability and runup." *Coastal Zone '85*, O. T. Magoon, et al., eds., Vol. 2, ASCE, NY, 1612-1626.
- Kocaturk, T., and Akbarov, S. (1996). "Effect of anisotropy of plates on the contact region resting on tensionless elastic foundation." *International Applied Mechanics*, 32(2), 112-116.

- Koerner, R. M. (1994). *Designing with Geosynthetics*, 3rd ed. Prentice-Hall, Englewood Cliffs, N. J.
- Koerner, R. M., and Koerner, G. R. (1996). "Geotextiles used as flexible forms." *Geotextiles and Geomembranes*, 14(6), 301-311.
- Koerner, R. M., and Soong, T.-Y. (1997). "The evolution of geosynthetics." *Civil Engineering*, ASCE, 67(7), 62-64.
- Koerner, R. M., and Welsh, J. P. (1980a). *Construction and Geotechnical Engineering Using Synthetic Fabrics*, Wiley, NY.
- Koerner, R. M., and Welsh, J. P. (1980b). "Fabric forms conform to any shape." *Concrete Construction*, 25(5), 401-409.
- Lamberton, B. A. (1983). "Fabric forming for underwater concrete." *Coastal Structures '83*, J. R. Weggel, ed., ASCE, NY, 619-630.
- Lamberton, B. A. (1989). "Fabric forms for concrete." *Concrete International: Design and Construction*, 11(12), 58-67.
- Lau, D. T., and Zeng, X. (1996). "Generation and use of simplified uplift shape functions in unanchored cylindrical tanks." *Journal of Pressure Vessel Technology*, 118(3), 278-285.
- Leidersdorf, C. B., Potter, R. E., and Goff, R. D. (1981). "Slope protection for artificial exploration islands off Prudhoe Bay." *Proceedings, 13th Annual Offshore Technology Conference*, Vol. 3, Houston, TX, 437-447.
- Leonardi, A., and Sacco, E. (1991). "Mechanical behavior of bimodular laminates on Elastic foundation." *Theoretical and Applied Fracture Mechanics*, 16, 223-225.
- Leshchinsky, D. (1993). "Issues in geosynthetic-reinforced soil." *Earth Reinforcement Practice*, H. Ochiai, S. Hayashi, and J. Otani, eds., A. A. Balkema, Rotterdam, 871-897.
- Leshchinsky, D. (1996). "Geotextile tubes." *IGS News*, 12(3), 14.
- Leshchinsky, D., and Leshchinsky, O. (1996). "Geosynthetic confined pressurized slurry (GeoCoPS): Supplemental notes for version 1.0," *Technical Report, CPAR-GL-96-1*, U.S. Army Corps of Engineers Waterways Experiment Station, Vicksburg, MS, September.
- Leshchinsky, D., Leshchinsky, O., Ling, H. I., and Gilbert, P. A. (1996). "Geosynthetic

- tubes for confining pressurized slurry: some design aspects." *Journal of Geotechnical Engineering*, 122(8), 682-690.
- Lewandowski, R., and Switka, R. (1991). "Unilateral plate contact with the elastic-plastic Winkler-type foundation." *Computers & Structures*, 39(6), 641-651.
- Li, H., and Dempsey, J. P. (1988). "Unbonded contact of a square plate on an elastic half-space or a Winkler foundation." *Journal of Applied Mechanics*, 55(2), 430-436.
- Liu, G. S. (1981). "Design criteria of sand sausages for beach defense." *Proceedings, 19th Congress of the International Association for Hydraulic Research*, Vol. 3, New Delhi, India, 123-131.
- Liu, G. S., and Silvester, R. (1977). "Sand sausages for beach defense work." *Proceedings, 6th Australasian Hydraulics and Fluid Mechanics Conference*, Adelaide, Australia, 340-343.
- Lu, Z., Swenson, D. V., and Fenton, D. L. (1996). "Frangible roof joint behavior of cylindrical oil storage tanks designed to API 650 rules." *Journal of Pressure Vessel Technology*, 118(3), 326-331.
- Maldonado, M. (1996). "For sure shores." *Civil Engineering*, ASCE, 66(10), 57-60.
- Malhotra, P. K. (1995). "Base uplifting analysis of flexibly supported liquid-storage tanks." *Earthquake Engineering and Structural Dynamics*, 24(12), 1591-1607.
- Malhotra, P. K. (1997). "Seismic response of soil-supported unanchored liquid-storage tanks." *Journal of Structural Engineering*, 123(4), 440-449.
- Munday, J. P., and Bricker, W. F. (1987). "Endicott slope protection design and construction." *Proceedings, 6th International OMAE Symposium*, V. J. Lunardini et al., eds., Vol. 4, ASME, NY, 47-54.
- Natsiavas, S., Begley, C. J., and Peterson, P. J. (1996). "On the seismic behavior of unanchored liquid containers." *Journal of Pressure Vessel Technology*, 118(3), 257-264.
- Nicolon GeoProducts Division (1994). *Nicolon Geoproducts*. Nicolon B.V., Almelo, Holland, 1-8.
- Ockels, R. (1991). "Innovative hydraulic engineering with geosynthetics." *Geosynthetics World*, 2(4), 26-27.

- Perrier, H. (1986). "Use of soil-filled synthetic pillows for erosion protection." *Proceedings, 3rd International Conference on Geotextiles*, Vienna, 1115-1119.
- Perry, E. B., and Myers, M. (1993). "Innovative methods for levee repair." *The REMR Bulletin*, U. S. Army Corps of Engineers Waterways Experiment Station, 10(3), 1-6.
- Pilarczyk, K. W. (1995). "Geotextile systems for coastal protection - an overview." *Proceedings, 4th International Conference on Coastal and Port Engineering in Developing Countries*, Rio de Janeiro.
- Pilarczyk, K. W., and Zeidler, R. B. (1996). *Offshore Breakwaters and Shore Evolution Control*. A. A. Balkema, Rotterdam.
- Plaut, R. H., Liapis, S. I., and Telionis, D. P. (1998). "When the levee inflates." *Civil Engineering*, ASCE, 68(1), 62-64.
- Plaut, R. H., and Suherman, S. (1998). "Two-dimensional analysis of geosynthetic tubes." *Acta Mechanica*.
- Porraz, M. (1976). "Textile forms slash cost of coastal zone structures." *Ocean Industry*, 11(10), 61-64, 116.
- Porraz, M., and Czerniak, M. T. (1983). "Applications of in-situ filled containers for Arctic structures." *Coastal Structures '83*, J. R. Weggel, ed., ASCE, NY, 601-609.
- Porraz, M, Maza, J. A., and Medina, R. (1979). "Mortar-filled containers, lab and ocean experience." *Coastal Structures '79*, 1, ASCE, NY, 270-289.
- Pu, S. L., and Hussain, M. A. (1970). "Note on the unbonded contact between plates and an elastic half space." *Journal of Applied Mechanics*, 37(3), 859-861.
- Sarti, G., and Larsen, J. (1983). "Underwater filling of Longard tubes." *Coastal Structures '83*, J. R. Weggel, ed., ASCE, NY, 610-618.
- Shahwan, K. W., and Waas, A. M. (1994). "A mechanical model for the buckling of unilaterally constrained rectangular plates." *International Journal of Solids and Structures*, 31(1), 75-87.
- Silvester, R. (1986). "Use of grout-filled sausages in coastal structures." *Journal of Waterway, Port, Coastal, and Ocean Engineering*, 112(1), 95-114.
- Silvester, R. (1990). "Flexible membrane units for breakwaters." *Handbook of Coastal*

- and Ocean Engineering*, J. B. Herbich, ed., Vol. 1, Gulf, Houston, 921-938.
- Silvester, R., and Hsu, J. R. C. (1993). *Coastal Stabilization: Innovative Concepts*. Prentice-Hall, Englewood Cliffs, NJ.
- Sprague, C. J., and Fowler, J. (1994). "Dredged material-filled geotextile containers: case histories, research and upcoming workshop." *Geotechnical Fabrics Report*, Industrial Fabrics Association International, St. Paul, MN 12(8), 42-54.
- Sprague, C. J., and Koutsourais, M. M. (1992). "Fabric formed concrete revetment systems." *Geosynthetics in Filtration, Drainage and Erosion Control*, R. M. Koerner, ed., Elsevier, London, 251-273.
- Svec, O. J. (1974). "The unbonded contact problem of a plate on the elastic half space." *Computer Methods in Applied Mechanics and Engineering*, 3, 105-113.
- van Santvoort, G. P. T. M., ed. (1994). *Geotextiles and Geomembranes in Civil Engineering*. A. A. Balkema, Rotterdam.
- van Santvoort, G. P. T. M. (1995). *Geosynthetics in Civil Engineering*. A. A. Balkema, Rotterdam.
- Veldhuijzen van Zanten, R., ed. (1986). *Geotextiles and Geomembranes in Civil Engineering*. A. A. Balkema, Rotterdam.
- Villaggio, P. (1983). "A free boundary value problem in plate theory." *Journal of Applied Mechanics*, 50(2), 297-302.
- Wawa, C. J., Chandra, J. S., and Verma, M. K. (1993). "Implementation and validation of a finite element approach to simulate occupant crashes with airbags: part I-airbag model." *Crashworthiness and Occupant Protection in Transportation Systems*, J. D. Reid and K. H. Yang, eds., AMD-Vol. 169, BED-Vol. 25, ASME, NY, 269-286.